

**IIITians GATE
CLASSES**

EXCLUSIVE GATE COACHING BY IIT/IISc GRADUATES

A division of PhIE Learning Center



QUICK REVISION

FORMULA SHEET

for
GATE-AE GAS DYNAMICS





Table Of Content

Review of Thermodynamics	06
Compressible Fluid Flow Basics	07
Normal Shock Waves	08
Oblique Shock and Expansion Waves	09
Flow Through Cd Nozzle	11
Rayleigh and Fanno Flows	12
Flow Visualization Technique	14



OUR ACHIEVERS

GATE-2023 AE



SRIRAM R
SSN COLLEGE CHENNAI
AIR - 2



Akriti
PEC, CHANDIGARH
AIR - 6



SHREYASHI SARKAR
IEST, SHIBPUR
AIR - 8



YOKESH K
MIT, CHENNAI
AIR - 11



HRITHIK S PATIL
RVCE, BANGALORE
AIR - 14

And Many More

GATE-2022 AE



SUBHROJYOTI BISWAS
IEST, SHIBPUR
AIR - 4



SANJAY. S
AMRITA UNIV, COIMBATORE
AIR - 7



AKILESH . G
HITS, CHENNAI
AIR - 7



D. MANOJ KUMAR
AMRITA UNIV, COIMBATORE
AIR - 10



DIPAYAN PARBAT
IEST, SHIBPUR
AIR - 14

And Many More

GATE-2021 AE



NILADRI PAHARI
IEST, SHIBPUR
AIR - 1



VISHAL .M
MIT, CHENNAI
AIR - 2



SHREYAN .C
IEST, SHIBPUR
AIR - 3



VEDANT GUPTA
RTU, KOTA
AIR - 5



SNEHASIS .C
IEST, SHIBPUR
AIR - 8

And Many More



OUR PSU JOB ACHIEVERS

DRDO & ADA Scientist B

Job Position for Recruitment (2022-23) Based on GATE AE score

Mr. Abhilash K (Amrita Univ Coimbatore)

Ms. Ajitha Nishma V (IIST Trivendrum)

Mr. Dheeraj Sappa (IIST Shibpur)

Ms. F Jahangir (MIT Chennai)

Mr. Goutham (KCG College Chennai)

Mr. M Kumar (MVJ College Bangalore)

Mr. Mohit Kudal (RTU Kota)

Mr. Niladhari Pahari (IIST Shibpur)

Mr. Nitesh Singh (Sandip Univ Nashik)

Mr. Ramanathan A (Amrita Univ Coimbatore)

Ms. Shruti S Rajpara (IIST Shibpur)

HAL DT ENGINEER

Job Position for Recruitment (2023)

Mr. Anantha Krishan A.G (Amrita Univ Coimbatore)

Mr. S.S Sanjay (Amrita Univ Coimbatore)

Mr. Shashi Kanth M (Sastra Univ Tanjore)

Mr. Vagicharla Dinesh (Lovely Professional Univ Panjab)



FATHIMA J
(MIT, CHENNAI)

HAL DT ENGINEER 2022



MOHAN KUMAR .H
(MVJCE, BANGALORE)

HAL DT ENGINEER 2022



ARATHY ANILKUMAR NAIR
(AMRITA UNIV, COIMBATORE)

HAL DT ENGINEER 2021



SADSIVUNI TARUN
(SASTRA TANJORE)

HAL DT ENGINEER 2021



VIGNESHA .M
(MIT, CHENNAI)

MRS E-II CRL BEL



RAM GOPAL SONI
(GVIET, PUNJAB)

CEMILAC LAB, DRDO

GAS DYNAMICS

Chapter 1: Review of Thermodynamics

1st Law:

$$\delta q + \delta w = de$$

$q \rightarrow$ Heat transfer, $w \rightarrow$ Work transfer

$e \rightarrow$ internal energy of the system per unit mass.

Adiabatic Process:

One in which no heat is added to or taken away from the system.

Reversible Process:

One in which no dissipative phenomenon occurs, that is, where the effect of viscosity, thermal conductivity, and mass diffusion are absent.

Isentropic Process:

One that is both adiabatic and reversible.

$$\delta q - pdv = de \rightarrow \text{For reversible process.}$$

Where $p \rightarrow$ pressure,

$$v \rightarrow \text{Specific volume, } v = \frac{1}{\rho}$$

$$\rho \rightarrow \text{density}$$

Entropy and 2nd Law:

$$ds = \frac{\delta q_{\text{rev}}}{T}$$

where, $s \rightarrow$ Entropy per unit mass of the system.

$T \rightarrow$ Temperature of the system.

$$ds = \frac{\delta q}{T} + ds_{\text{(irrev)}} \rightarrow \text{more general form}$$

$$ds_{\text{irrev}} \geq 0$$

$$2^{\text{nd}} \text{ Law: } ds \geq 0$$

Tds Relations:

$$Tds - pdv = de$$

$$Tds = de + pdv$$

$$Tds = dh - vdp$$

$h \rightarrow$ specific enthalpy

$$h = c_p dT \quad e = c_v dT$$

here, $c_p \rightarrow$ Specific heat at constant pressure

$$c_p = \left(\frac{\partial h}{\partial T} \right)_{p=\text{constant}}$$

$c_v \rightarrow$ specific heat at constant volume

$$c_v = \left(\frac{\partial e}{\partial T} \right)_{v=\text{constant}}$$

Relationship Between c_p , c_v and R

$$c_p - c_v = R$$

$R \rightarrow$ Gas constant

$$R = \frac{R_u}{MW}$$

$R_u \rightarrow$ Universal gas constant

$MW \rightarrow$ Molecular weight

$$\left. \begin{aligned} s_2 - s_1 &= c_p \ln \left(\frac{T_2}{T_1} \right) - R \ln \left(\frac{p_2}{p_1} \right) \\ s_2 - s_1 &= c_v \ln \left(\frac{T_2}{T_1} \right) + R \ln \left(\frac{v_2}{v_1} \right) \end{aligned} \right\} \left(\begin{array}{l} \text{Valid for} \\ \text{Calorically} \\ \text{perfect gas} \end{array} \right)$$

$$\gamma = \frac{c_p}{c_v} \rightarrow \text{Ratio of specific heats}$$

Isentropic Relations:

$$s_1 - s_1 = 0$$

$$\frac{p_2}{p_1} = \left(\frac{T_2}{T_1}\right)^{\frac{\gamma}{\gamma-1}}$$

$$\frac{\rho_2}{\rho_1} = \left(\frac{T_2}{T_1}\right)^{\frac{1}{\gamma-1}}$$

$$\frac{p_2}{p_1} = \left(\frac{\rho_2}{\rho_1}\right)^\gamma = \left(\frac{T_2}{T_1}\right)^{\frac{\gamma}{\gamma-1}}$$

Chapter 2: Compressible Fluid Flow Basics

Compressibility:

Isothermal compressibility:

$$\tau_T = -\frac{1}{v} \left(\frac{\partial v}{\partial p} \right)_{T=\text{constant}}$$

Isentropic Compressibility:

$$\tau_s = -\frac{1}{v} \left(\frac{\partial v}{\partial p} \right)_{s=\text{constant}}$$

$$\tau_s = \frac{1}{\rho} \frac{d\rho}{dp}$$

$$dp = \rho \tau dp$$

Mach Number:

$$M = \frac{V}{a}$$

$V \rightarrow$ Local speed (Velocity) of the fluid

Particle.

$a \rightarrow$ Local speed of sound.

Equation of State: $p = \rho RT$

Speed of Sounds:

$$a = \sqrt{\left(\frac{\partial p}{\partial \rho} \right)_{s=\text{constant}}}$$

$$a = \sqrt{\gamma RT} = \sqrt{\frac{\gamma p}{\rho}}$$

$\rightarrow$ valid for calorically perfect gas

Forms of energy equation for Steady

Adiabatic Flows:

$$h_1 + \frac{V_1^2}{2} = h_2 + \frac{V_2^2}{2} = \text{Constant}$$

For 1-D Adiabatic steady flows

$$h_1 + \frac{u_1^2}{2} = h_2 + \frac{u_2^2}{2}$$

$$h + \frac{u^2}{2} = h_o$$

$$\frac{T_o}{T} = \left(1 + \frac{\gamma-1}{2} M^2 \right)$$

Note: This is valid for steady adiabatic flow of a calorically perfect gas.

Isentropic Flow Relations for Steady

Flow:

$$\frac{p_o}{p} = \left(\frac{T_o}{T} \right)^{\frac{\gamma}{\gamma-1}} = \left[1 + \frac{\gamma-1}{2} M^2 \right]^{\frac{\gamma}{\gamma-1}}$$

$$\frac{\rho_o}{\rho} = \left(\frac{T_o}{T} \right)^{\frac{1}{\gamma-1}} = \left[1 + \frac{\gamma-1}{2} M^2 \right]^{\frac{1}{\gamma-1}}$$

Characteristic Mach Number:

$$M^* = \frac{u}{a^*}$$

$u \rightarrow$ Local speed of the fluid (1-D)

$a^* \rightarrow$ Characteristic speed of sound.

$$M^* = \frac{(\gamma+1)M^2}{2 + (\gamma-1)M^2};$$

$M \rightarrow$ Local Mach number

$$M^* < 1 \quad \text{if } M < 1$$

$$M^* = 1 \text{ if } M = 1$$

$$M^* > 1 \text{ if } M > 1$$

$$M^* \rightarrow \sqrt{\frac{\gamma+1}{\gamma-1}} \text{ if } M \rightarrow \infty$$

Chapter 3: Normal Shock Waves

Governing Equation for Standing

Normal Shockwave:

Continuity : $\rho_1 u_1 = \rho_2 u_2$

Momentum: $p_1 + \rho_1 u_1^2 = p_2 + \rho_2 u_2^2$

Energy: $h_1 + \frac{u_1^2}{2} = h_2 + \frac{u_2^2}{2}$

$$h = c_p T$$

$$P = \rho RT$$

Property Change across the Standing

Normal Shock Wave:

$$\begin{array}{c|c} u_1 & u_2 \\ a_1 & a_2 \\ p_1 & p_2 \\ M_1 \rightarrow & \rightarrow M_2 \\ \rho_1 & \rho_2 \\ T_1 & T_2 \\ h_1 & h_2 \\ p_{01} & p_{02} \end{array}$$

Shock Wave

Thickness of shockwave $\sim \frac{v}{a}$

$v \rightarrow$ Kinematic viscosity of the gas

$a \rightarrow$ Speed of sound

$$\frac{\rho_2}{\rho_1} = \frac{u_1}{u_2} = \frac{(\gamma+1)M_1^2}{2 + (\gamma-1)M_1^2}$$

$$\frac{p_2}{p_1} = 1 + \frac{2\gamma}{\gamma+1} (M_1^2 - 1)$$

$$\frac{T_2}{T_1} = \left(\frac{p_2}{p_1}\right) \left(\frac{\rho_1}{\rho_2}\right)$$

$$M_2^2 = \frac{1 + \left(\frac{\gamma-1}{2}\right) M_1^2}{\gamma M_1^2 - \left(\frac{\gamma-1}{2}\right)}$$

Limit Cases:

As $M_1 \rightarrow \infty$

$$\frac{\rho_2}{\rho_1} \rightarrow \frac{\gamma+1}{\gamma-1}$$

$$\frac{p_2}{p_1} \rightarrow \infty$$

$$\frac{T_2}{T_1} \rightarrow \infty$$

$$M_2 \rightarrow \sqrt{\frac{\gamma-1}{2\gamma}}$$

$$T_{01} = T_{02}$$

$$\frac{p_{02}}{p_{01}} = e^{-(s_2-s_1)/R}$$

Measurement of Velocity in

Compressible flow Using Pitot-Static

Tube:

Subsonic Compressive Flow:

$$M_1^2 = \frac{2}{\gamma-1} \left[\left(\frac{p_{01}}{p_1} \right)^{\frac{\gamma-1}{\gamma}} - 1 \right]$$

$p_{01} \rightarrow$ Total pressure; $p_1 \rightarrow$ Static pressure

[Free stream conditions]

$$u_1^2 = \frac{2a_1^2}{\gamma-1} \left[\left(\frac{p_{01}}{p_1} \right)^{\frac{\gamma-1}{\gamma}} - 1 \right]$$

Supersonic Compressible Flow

(Rayleigh-Pitot Formula):

$$\begin{aligned} \frac{p_{02}}{p_1} &= \left(\frac{(\gamma+1)^2 M_1^2}{4\gamma M_1^2 - 2(\gamma-1)} \right) \left[\frac{1-\gamma+2\gamma M_1^2}{\gamma+1} \right] \end{aligned}$$

$p_{02} \rightarrow$ Total pressure downstream of the shock wave.

$p_1 \rightarrow$ Static pressure upstream of the shock wave.

$M_1 \rightarrow$ Mach number upstream of the shock wave. (Free stream Mach number).


Moving Normal Shock Relations:

Hugoniot Equation:

$$e_2 - e_1 = \frac{p_1 + p_2}{2} \left(\frac{1}{\rho_1} - \frac{1}{\rho_2} \right)$$

$$\frac{p_2}{p_1} = \frac{\left(\frac{\gamma+1}{\gamma-1} \right) \left(\frac{\rho_2}{\rho_1} \right) - 1}{\left(\frac{\gamma+1}{\gamma-1} \right) - \left(\frac{\rho_2}{\rho_1} \right)}$$

Moving Shock Waves:



$u_p \rightarrow$ Mass Motion Induced by the moving shock wave (Group motion velocity)

$W \rightarrow$ Shock motion velocity.

$$M_s = \frac{W}{a_1}$$

$M_s \rightarrow$ Moving shock Mach number

$a_1 \rightarrow$ Velocity of sound in region ①.

$$\frac{p_2}{p_1} = 1 + \frac{2\gamma}{\gamma+1} (M_s^2 - 1)$$

$$W = a_1 \sqrt{\frac{\gamma+1}{2\gamma} \left(\frac{p_2}{p_1} - 1 \right) + 1}$$

$$u_p = W \left(1 - \frac{\rho_1}{\rho_2} \right)$$

$$u_p = \frac{a_1}{\gamma} \left(\frac{p_2}{p_1} - 1 \right) \left(\frac{\frac{2\gamma}{\gamma+1}}{\frac{p_2}{p_1} + \frac{\gamma-1}{\gamma+1}} \right)^{\frac{1}{2}}$$

Note: $A_s \frac{p_2}{p_1} \rightarrow \infty$

$$\lim_{\frac{p_2}{p_1} \rightarrow \infty} \left(\frac{u_p}{a_2} \right) = \sqrt{\frac{2}{\gamma(\gamma-1)}}$$

$$\frac{T_2}{T_1} = \frac{p_2}{p_1} \left(\frac{\frac{\gamma+1}{\gamma-1} + \frac{p_2}{p_1}}{1 + \frac{\gamma+1}{\gamma-1} + \frac{p_2}{p_1}} \right) \quad \left(\begin{array}{l} \text{Temperature} \\ \text{Change across} \\ \text{Moving Shock} \end{array} \right)$$

$$\frac{\rho_2}{\rho_1} = \frac{1 + \frac{\gamma+1}{\gamma-1}}{\frac{\gamma+1}{\gamma-1} + \frac{p_2}{p_1}} \quad \left(\begin{array}{l} \text{Density change} \\ \text{Across moving shock} \end{array} \right)$$

Note: Total enthalpy and total temperature is not constant across the moving shock wave! (Since it is unsteady flow).

$$h_{02} > h_{01}$$


$$\rho \frac{Dh_0}{Dt} = \frac{\partial p}{\partial t} \text{ and } \frac{\partial p}{\partial t} \neq 0$$

Chapter 4: Oblique Shock and Expansion Waves

Oblique Shock Relations:

Mach Angle:

$$\mu = \sin^{-1} \left(\frac{1}{M} \right)$$



$V_1 \rightarrow$ Upstream velocity

$M_1 \rightarrow$ Upstream Mach number

$\theta \rightarrow$ Deflection angle

$\beta \rightarrow$ Shock wave angle

$V_2 \rightarrow$ Downstream velocity

$M_2 \rightarrow$ Down stream Mach number

$M_{n1}, M_{n2} \rightarrow$ Normal component of Mach number upstream and downstream, respectively.

$M_{t1}, M_{t2} \rightarrow$ Tangent component of Mach number upstream and downstream, respectively.

$u_1, u_2 \rightarrow$ Normal component of velocity vector upstream and downstream respectively.

$w_1, w_2 \rightarrow$ Tangential component of velocity vector upstream and downstream respectively.

$$w_1 = w_2$$

$$M_{n1} = M_1 \sin \beta_1$$

$$M_{n2}^2 = \frac{1 + \left(\frac{\gamma-1}{2}\right) M_{n1}^2}{\gamma M_{n1}^2 - \left(\frac{\gamma-1}{2}\right)}$$

$$\frac{p_2}{p_1} = \frac{(\gamma+1) M_{n1}^2}{2 + (\gamma-1) M_{n1}^2}$$

$$\frac{\rho_2}{\rho_1} = 1 + \frac{2\gamma}{\gamma+1} (M_{n1}^2 - 1)$$

$$\frac{T_2}{T_1} = \left(\frac{p_2}{p_1}\right) \left(\frac{\rho_1}{\rho_2}\right)$$

$$M_2 = \frac{M_{n2}}{\sin(\beta - \theta)}$$


$$\tan \beta = \frac{u_1}{w_1}$$

$$\tan(\beta - \theta) = \frac{u_2}{w_2}$$

θ - β -M Relation:

$$\frac{\tan(\beta - \theta)}{\tan \beta} = \frac{u_2}{u_1} = \frac{\rho_1}{\rho_2}$$

$$\tan \theta = 2 \cot \beta \left(\frac{M_1^2 \sin^2 \beta - 1}{M_1^2 (\gamma + \cos 2\beta) + 2} \right)$$



The normal component must be supersonic ($M_1 \sin \beta > 1$)


This requirement imposes the restriction on the wave angle (β) for a given M_1

$$\sin^{-1} \left(\frac{1}{M_1} \right) \leq \beta \leq \frac{\pi}{2}$$

$$\beta = \frac{\pi}{2} \rightarrow \text{Normal shock}$$

$$\beta = \sin^{-1} \left(\frac{1}{M_1} \right) \rightarrow \text{mach wave}$$

Prandtl-Mayor Function for Expansion waves:



Note: Applicable for isentropic flow turn.

$$v(m) = \sqrt{\frac{\gamma+1}{\gamma-1}} \tan^{-1} \sqrt{\frac{\gamma-1}{\gamma+1}} (M^2 - 1) - \tan^{-1} \sqrt{M^2 - 1}$$

$v(m) \rightarrow$ Prandtl-Mayor Function in units of angle.

$\theta = v(M_2) - v(M_1) \rightarrow$ True for Expansion corner.

$\theta = v(M_1) - v(M_2) \rightarrow$ True for isentropic compression corner.

$$\frac{T_2}{T_1} = \frac{1 + \left(\frac{\gamma-1}{2}\right) M_1^2}{1 + \left(\frac{\gamma-1}{2}\right) M_2^2}$$

$$\frac{p_2}{p_1} = \left[\frac{1 + \left(\frac{\gamma-1}{2}\right) M_1^2}{1 + \left(\frac{\gamma-1}{2}\right) M_2^2} \right]^{\frac{\gamma}{\gamma-1}}$$

$$T_{02} = T_{01}; \quad p_{02} = p_{01}$$

Chapter 5: Flow Through Cd Nozzle

Quasi-One-Dimensional Flow:

Continuity:

$$\rho_1 u_1 A_1 = \rho_2 u_2 A_2$$

$A \rightarrow$ Area at any section.

Momentum:

$$p_1 A_1 + \rho_1 u_1^2 A_1 + \int_{A_1}^{A_2} p dA = p_2 A_2 + \rho_2 u_2^2 A_2$$

Energy:

$$h_1 + \frac{u_1^2}{2} = h_2 + \frac{u_2^2}{2}$$

Differential Form:

$$\rho u A = \text{Constant}$$

$$d(\rho u A) = 0$$

Continuity:

$$\frac{dp}{\rho} + \frac{du}{u} + \frac{dA}{A} = 0$$

Momentum:

$$dp = -\rho u du$$

Energy:


$$dh + u du = 0$$

Area Mach Number Relation:

$$\frac{dA}{A} = (M^2 - 1) \frac{du}{u}$$

Nozzle Flows: (C-D Nozzle)

$$\frac{A_1}{A_2} = \frac{M_2}{M_1} \sqrt{\left[\frac{1 + \frac{\gamma-1}{2} M_1^2}{1 + \frac{\gamma-1}{2} M_2^2} \right]^{\frac{\gamma+1}{\gamma-1}}}$$



$$\left(\frac{A}{A^*}\right)^2 = \frac{1}{M^2} \left[\frac{2}{\gamma + 1} \left(1 + \frac{\gamma - 1}{2} M^2 \right) \right]^{\frac{\gamma + 1}{\gamma - 1}}$$

Choked Mass Flow Rate at the Throat:

($u^* = a^*$, $M^* = 1$) At throat

$$\dot{m} = \frac{p_o}{\sqrt{RT_o}} \sqrt{\gamma} \left(\frac{2}{\gamma + 1} \right)^{\frac{\gamma + 1}{2(\gamma - 1)}} A^*$$

Flow Through Supersonic Wind Tunnel:

$$\frac{A_{t2}}{A_{t1}} = \frac{p_{o1}}{p_{o2}}$$

$A_{t1} \rightarrow$ Throat area of C-D nozzle

$A_{t2} \rightarrow$ Throat area of diffuser.


$p_{o1} \rightarrow$ Stagnation pressure in the nozzle.

$p_{o2} \rightarrow$ Stagnation pressure in the diffuser.

Note: This relation assumes normal shockwave standing in the test section. This to make sure that the initial shock wave (Starting shock) to pass the wind tunnel during the start of the tunnel.

Chapter 6: Rayleigh and Fanno Flows

Flow with Friction (Fanno Flow):



$$\frac{T_2}{T_1} = \frac{2 + (\gamma - 1)M_1^2}{2 + (\gamma - 1)M_2^2}$$

$$\frac{p_2}{p_1} = \frac{M_1}{M_2} \left[\frac{2 + (\gamma - 1)M_1^2}{2 + (\gamma - 1)M_2^2} \right]$$

$$\frac{\rho_2}{\rho_1} = \left(\frac{p_2}{p_1} \right) \left(\frac{T_1}{T_2} \right)$$

$$\frac{\rho_2}{\rho_1} = \frac{M_1}{M_2} \left[\frac{2 + (\gamma - 1)M_2^2}{2 + (\gamma - 1)M_1^2} \right]^{-1/2}$$

$$\frac{p_{o2}}{p_{o1}} = \frac{M_1}{M_2} \left[\frac{2 + (\gamma - 1)M_2^2}{2 + (\gamma - 1)M_1^2} \right]^{\frac{\gamma + 1}{2(\gamma - 1)}}$$

Choking in Frictional Flow:

$$\frac{T}{T^*} = \frac{\gamma + 1}{2 + (\gamma - 1)M^2}$$

$$\frac{p}{p^*} = \frac{1}{M} \left[\frac{\gamma + 1}{2 + (\gamma - 1)M^2} \right]^{1/2}$$

$$\frac{\rho}{\rho^*} = \frac{1}{M} \left[\frac{2 + (\gamma - 1)M^2}{\gamma + 1} \right]^{1/2}$$

* $\rightarrow$ Denotes properties at choking, i.e., where $M = 1$

$T \rightarrow$ Temperature upstream of the choking.

$M \rightarrow$ Mach number upstream of the choking

$p \rightarrow$ Pressure upstream of choking.

$\rho \rightarrow$ Density upstream of choking.

$$\frac{p_o}{p_o^*} = \frac{1}{M} \left[\frac{2 + (\gamma - 1)M^2}{\gamma + 1} \right]$$

$p_o \rightarrow$ Total pressure upstream of choking.


Average Friction Co-efficient:

$$\bar{f} = \frac{1}{L^*} \int_0^{L^*} f dx$$

$L^* \rightarrow$ Location from the origin where $M = 1$.

$f \rightarrow$ Local friction co-efficient $f \rightarrow f(x)$
depends on flow type.

Fano Curve:



Effect of Friction:


Variable	Subsonic region	Supersonic Region
Mach Number	Increases ($M_2 > M_1$)	Decreases ($M_2 < M_1$)
Pressure	decreases ($p_2 > p_1$)	Increase ($p_2 > p_1$)
Temperature	decreases ($T_2 < T_1$)	Increases ($T_2 > T_1$)
Total Pressure	decreases ($p_2 < p_1$)	decreases ($p_{02} < p_{01}$)
Velocity	Increases ($u_2 > u_1$)	decreases ($u_2 < u_1$)

Flow With Heat Addition (Rayleigh Flow):

Modified Energy Equation:

$$h_1 + \frac{u_1^2}{2} + q = h_2 + \frac{u_2^2}{2}$$

$q \rightarrow$ Heat transfer per unit mass.



$$\frac{p_2}{p_1} = \frac{1 + \gamma M_1^2}{1 + \gamma M_2^2}$$

$$\frac{T_2}{T_1} = \left[\frac{1 + \gamma M_1^2}{1 + \gamma M_2^2} \right]^2 \left(\frac{M_2}{M_1} \right)^2$$

$$\frac{p_2}{p_1} = \left(\frac{1 + \gamma M_2^2}{1 + \gamma M_1^2} \right) \left(\frac{M_1}{M_2} \right)^2$$

$$\frac{p_{02}}{p_{01}} = \frac{1 + \gamma M_1^2}{1 + \gamma M_2^2} \left[\frac{1 + \frac{\gamma - 1}{2} M_2^2}{1 + \frac{\gamma - 1}{2} M_1^2} \right]^{\gamma/\gamma - 1}$$

$$\frac{T_{02}}{T_{01}} = \left(\frac{1 + \gamma M_1^2}{1 + \gamma M_2^2} \right)^2 \left(\frac{M_2}{M_1} \right)^2 \left(\frac{1 + \frac{\gamma - 1}{2} M_2^2}{1 + \frac{\gamma - 1}{2} M_1^2} \right)$$

Choking Relations (at $M = 1$)

$$\frac{p}{p^*} = \frac{1 + \gamma}{1 + \gamma M^2}$$


$$\frac{T}{T^*} = M^2 \left(\frac{1 + \gamma}{1 + \gamma M^2} \right)^2$$

$$\frac{\rho}{\rho^*} = \frac{1}{M^2} \left(\frac{1 + \gamma M^2}{1 + \gamma} \right)$$

$$\frac{p_0}{p^*} = \frac{1 + \gamma}{1 + \gamma M^2} \left[\frac{2 + (\gamma - 1) M^2}{\gamma + 1} \right]^{\gamma/\gamma - 1}$$

$$\frac{T_0}{T^*} = \frac{(\gamma + 1) M^2}{(1 + \gamma M^2)} [2 + (\gamma - 1) M^2]$$

Rayleigh Curve:



Effect of Flow with Heat Addition:

Variable	Subsonic Region	Supersonic Region
Mach Number	Increases ($M_2 > M_1$)	Decreases ($M_2 < M_1$)
Pressure	Decreases ($p_2 < p_1$)	Increases ($p_2 > p_1$)
Temperature	Increases for $M_1 < \gamma^{-1/2}$ And decrease for $M_1 > \gamma^{-1/2}$	Increases ($T_2 > T_1$)
Total Temperature	Increases ($T_{02} > T_{01}$)	Increases ($T_{02} > T_{01}$)
Total Pressure	Decreases ($p_{02} > p_{01}$)	Decreases ($p_{02} < p_{01}$)
Velocity	Increases ($u_2 > u_1$)	Decreases ($u_2 < u_1$)

EXCLUSIVE GATE COACHING BY IIT/IISC GRADUATES

Chapter 7: Flow Visualization Technique

Flow Visualization (Laser Diagnostics Techniques) For High-Speed Flows.

Method	Quantity on which method depends	Sensitive to	Ease of Setup
Shadowgraph	Displacement	$\frac{\partial^2 \rho}{\partial y^2}$	Easy
Schlieren	Angular deflection	$\frac{\partial \rho}{\partial y}$	Moderate
Interferometer	Phase change	ρ	Tough

Here $\rho \rightarrow$ density of the medium through which light rays travel.

OUR COURSES

GATE Online Coaching

Course Features



Live Interactive
Classes



E-Study Material



Recordings of
Live Classes



Online Mock Tests

TARGET GATE COURSE

Course Features



Recorded Videos
Lectures



Online Doubt
Support



E-Study Materials



Online Test Series

Distance Learning Program

Course Features



E-Study Material




Topic Wise Assignments
(e-form)



Online Test Series



Online Doubt
Support



Previous Year Solved
Question Papers


OUR COURSES

Online Test Series


Course Features




Topic Wise Tests



Subject Wise Tests



Module Wise Tests



Complete Syllabus Tests

More About IGC

**SAMPLE
STUDY MATERIALS**



<https://bit.ly/3Wu7lsp>

**SAMPLE
MOCK TESTS**



<https://bit.ly/3FDyFOf>

**SAMPLE
VIDEO LECTURES**



<https://bit.ly/3V4xU6j>

TEAM IGC GATE



<https://bit.ly/3G21khi>

**OUR
TESTIMONIALS**



<https://bit.ly/3Yp2Hh7>

**IGC TELEGRAM
GROUP**



<https://bit.ly/3j4koCd>

Follow us on:



For more Information Call Us



+91-97405 01604

Visit us

www.iitiansgateclasses.com

**IITians GATE
CLASSES**

EXCLUSIVE GATE COACHING BY IIT/IISC GRADUATES

A division of PhIE Learning Center

Admission Open for

GATE 2025/26

Live Interactive Classes

AEROSPACE ENGINEERING

**ENROLL
NOW**



For more Information Call Us



+91-97405 01604

Visit us www.iitiansgateclasses.com